

A dynamic splash of clear water against a white background, with numerous droplets and bubbles captured in mid-air. The water surface below the splash is rippled and blue-tinted.

W a G S


INVERTER
SOLUTIONS
FOR PUMPS

APPLICATIONS AROUND THE
WORLD

2 Boosterset of 2 pumps connected



Booster sets



2 booster sets




First booster set

Second booster set



Borehole pumps



Strainer

No pressure reducer



Second pressure set point




First pressure set point

Duct to the house



3 pumps booster set with high flow (25 mc/h)




3 pumps Booster set



WACS

4 pumps booster set with high flow

5.5 Kw
motor
each




DA
VINCI
inside

Every pump
has a by-pass

Gate valve and
non return valve



4 pumps Booster set with high flow




WACS

INVERTER SOLUTIONS FOR PUMPS

Mining industry – Johannesburg – South Africa 7

4 pumps Booster set



WaCS

2 PUMPS booster set in a very tiny space



WACS

Booster sets for building



WACS

Booster set for irrigation



WACS

Booster set with 2 OLD GRUNDFOS pumps



Booster sets with DAB pumps



WACS

Booster set for office building



WACS

Heating pumps with a booster set of 2 borehole pumps



WACS

Booster set for hotels



Disconnection unit for air conditioning systems

Disconnection
unit EN 1717 &
EN 13077



WACS

BOOSTER SETS OF 3 PUMPS



W **a** **C** **S**

BOOSTER SETS OF 2 PUMPS – TANK of 1000 L



BOOSTER SETS for CONSTRUCTORS



BOOSTER KIT AND COMPACT RAIN



WACS


ALL IN ON BOX SOLUTION with BOREHOLE PUMPS



WACS

ALL IN ON BOX SOLUTION with BOREHOLE PUMPS

INOX PLUG&PUMP 240 MONO8,5



INOX PLUG&PUMP 250 3BASIC



PUMP MODEL	PWM	P1 Watt	P1 Hp	Power supply voltage	Pump motor type	MAX Pressure	Q MAX l / l'	Sewt pressure range	Impellers numbers	Input conn. Diam.	Output conn. Diam.
ECOPLUS 240	PWM 230-1 BASIC/8.5	1000	1,36	1 phase x 220	1 phase x 220	4.8	100	da 1 a 3,5 bar	4	1"	1"
INOXPLUS 240	PWM 230-1 BASIC/8.5	1000	1,36	1 phase x 220	1 phase x 220	4.8	100	da 1 a 3,5 bar	4	1"	1"
INOXPLUS 250	PWM 230-3 BASIC	1250	1,67	1 phase x 220	3 phase x 230	6.0	100	da 1 a 5 bar	5	1"	1"

PLUG&PUMP MODEL	PUMP MODEL	PWM
ECO PLUG&PUMP 240 MONO8,5	ECOPLUS 240	PWM 230-1 BASIC/8.5
INOX PLUG&PUMP 240 MONO8,5	INOXPLUS 240	PWM 230-1 BASIC/8.5
INOX PLUG&PUMP 250 3BASIC	INOXPLUS 250	PWM 230-3 BASIC

Protections: dry running, over current and over temperature

Self-priming pumps multi-stage pumps. Low noise and high pressure performance. Available with 4 and 5 impellers.



Demo units - 2 PUMPS – 2 PWM



Demo units - 2 PUMPS – 1 PWM and 1 ON/OFF



WACS

Demo units – 1 BOREHOLE PUMP – 1 PWM



*Demo unit with 4 pumps and DA VINCI
Demo unit very compact with 1 PUMP*



WACS